# ENTARON FC Cathode air cleaner for the fuel cells





## MANN+HUMMEL ENTARON FC Cathode air cleaner for the protection of fuel cells

#### **Technical specification**







Technical features	ENTARON FC 4	ENTARON FC 7.5	ENTARON FC 13					
			<b>Long life</b> High dust enviroment	<b>High efficiency</b> Fine dust enviroment				
Fuel cell stack power	~ 30 - 60 kW	~ 80 - 130 kW	~ 150 - 200 kW					
Air volume flow	1 - 3 m <sup>3</sup> /min	2 - 6 m³/min	3,5 - 10 m³/min					
Dimensions (housing)	Ø 164 mm x length 330 mm	Ø 216 mm x length 360 mm	Ø 278 mm x length 414 mm					
Adsorption of	Toluene, n-Butane, Sulfur dioxide (SO <sub>2</sub> ), Nitrogen oxides (NOx), Ammonia (NH <sub>3</sub> )							
Mounting position	Vertical and horizon	ntal position possible	Horizontal position preferred					
Service concept	Front servicing with comfort fasteners							



## MANN+HUMMEL ENTARON FC Cathode air cleaner for the protection of fuel cells

#### Differential pressure @ volume flow\*

	0.5 m³/min	1 m³/min	2 m³/min	3 m³/min	4 m³/min	6 m³/min	8 m³/min	10 m³/min
ENTARON FC 4	1.0 mbar	3.0 mbar	8.5 mbar	16.0 mbar	-	-	-	-
ENTARON FC 7.5	-	-	4.5 mbar	8.0 mbar	11.5 mbar	20.0 mbar	-	-
ENTARON FC 13	-	-	-	-	5.5 mbar	9.5 mbar	14.5 mbar	20.0 mbar

<sup>\*</sup> based on practical experience and test results from laboratory

MANN+HUMMEL is able to use its many years of experience in the area of filtration to meet the requirements for future mobility.

Visit our E-Mobility Onlineshop to check our offerings and buy directly:

https://shop.mann-hummel.com/en/e-mobility/



MANN+HUMMEL memberships and partnerships in e-mobility and fuel cells:





















### **MANN+HUMMEL Contact**

#### Sales

Niklas Münch Sales Manager New Products niklas.muench@mann-hummel.com Phone: +49 7141 98-3169

#### **Engineering**

Tanja Heilmann Air Filter Development tanja.heilmann@mann-hummel.com Phone: +49 6232 53-8916



Open the website for more information about products for electrified powertrains from MANN+HUMMEL.

