

Carboactiv Tube

Activated carbon cylinder

Product Range



Features



Applications



KEY FACTS

- Extremely high capacity
- Removes odours and captures harmful gases
- Refillable (metal versions only)
- Simple "plug-and-play" installation system

DESIGN

Galvanized steel, stainless steel and plastic cartridges, which can be filled with a wide variety of activated carbon and mediums.

APPLICATIONS

Suitable for installation in HVAC and industrial process systems to solve a wide range of molecular contamination issues. Each standard products has been designed to target issues caused by specific contaminants.

Carboactiv Tube

Activated carbon cylinder

PERFORMANCE DATA

Article No.	Type	Frame	Dimensions (mm)	ISO EN 10121:2014 Max. Sorptive Capacity (g Gas/kg Media)			Max. Sorptive Capacity (g Gas/kg Media)				Recommended Contaminants
				SO ₂	NH ₃	Toluene	H ₂ S	VOC/ Condens.	Dopants (B, P, As)	Chlorine (Cl ₂)	
800660058608	Carb High BP	Plastic	145 x 450	<20	<5	<250	<20	<250	<20	<20	Light to medium air pollution of large molecular VOC, solvents, fragrances, kitchen exhaust, lab fumes, building recirculation air and similar
800660058609			145 x 600	<20	<5	<250	<20	<250	<20	<20	
800660058603		Galv. Steel	145 x 450	<20	<5	<250	<20	<250	<20	<20	
800660058606			145 x 600	<20	<5	<250	<20	<250	<20	<20	
800660058610		Stain. Steel	145 x 450	<20	<5	<250	<20	<250	<20	<20	
800660058611			145 x 600	<20	<5	<250	<20	<250	<20	<20	
800660058632	Carb Low BP	Plastic	145 x 450	<20	<5	<250	<20	<250	<20	<20	Light to medium air pollution of large molecular VOC, solvents, fragrances, kitchen exhaust, lab fumes, building recirculation air and similar
800660058633			145 x 600	<20	<5	<250	<20	<250	<20	<20	
800660058634		Galv. Steel	145 x 450	<20	<5	<250	<20	<250	<20	<20	
800660058635			145 x 600	<20	<5	<250	<20	<250	<20	<20	
800660058636		Stain. Steel	145 x 450	<20	<5	<250	<20	<250	<20	<20	
800660058637			145 x 600	<20	<5	<250	<20	<250	<20	<20	
800660058626	Carb Heavy Duty	Plastic	145 x 450	<20	<5	<300	<20	<300	<20	<20	Light to medium air pollution of large molecular VOC, solvents, fragrances, kitchen exhaust, lab fumes, building recirculation air and similar
800660058627			145 x 600	<20	<5	<300	<20	<300	<20	<20	
800660058628		Galv. Steel	145 x 450	<20	<5	<300	<20	<300	<20	<20	
800660058629			145 x 600	<20	<5	<300	<20	<300	<20	<20	
800660058630		Stain. Steel	145 x 450	<20	<5	<300	<20	<300	<20	<20	
800660058631			145 x 600	<20	<5	<300	<20	<300	<20	<20	
800660058619	Alkali / KI-KOH	Plastic	145 x 450	<250	<5	<150	<250	<150	<100	<150	Light to medium air pollution of VOC, Solvents, Organic and Inorganic Acids (HF, HCl, HBr, HNO ₃ , H ₂ SO ₄ , HCN, etc.), SO ₂ , NO ₂ , low-level H ₂ S, fragrances, kitchen exhaust, lab fumes, building recirculation air and similar
800660058620			145 x 600	<250	<5	<150	<250	<150	<100	<150	
800660058622		Galv. Steel	145 x 450	<250	<5	<150	<250	<150	<100	<150	
800660058623			145 x 600	<250	<5	<150	<250	<150	<100	<150	
800660058624		Stain. Steel	145 x 450	<250	<5	<150	<250	<150	<100	<150	
800660058625			145 x 600	<250	<5	<150	<250	<150	<100	<150	
800660058748	Acidic	Plastic	145 x 450	<20	<150	<200	<20	<200	<20	N/A	Light to medium air pollution of ammonia (NH ₃) organic alkylamines (primary, secondary, tertiary), cyclic and aromatic amines (aniline, phenylenediamine, pyrrolidine, etc.) and similar
800660058749			145 x 600	<20	<150	<200	<20	<200	<20	N/A	
800660058750		Galv. Steel	145 x 450	<20	<150	<200	<20	<200	<20	N/A	
800660058751			145 x 600	<20	<150	<200	<20	<200	<20	N/A	
800660058752		Stain. Steel	145 x 450	<20	<150	<200	<20	<200	<20	N/A	
800660058753			145 x 600	<20	<150	<200	<20	<200	<20	N/A	

Carboactiv Tube

Activated carbon cylinder

PERFORMANCE DATA (CONTINUED)

Article No.	Type	Frame	Dimensions (mm)	ISO EN 10121:2014 Max. Sorptive Capacity (g Gas/kg Media)			Max. Sorptive Capacity (g Gas/kg Media)				Recommended Contaminants
				SO ₂	NH ₃	Toluene	H ₂ S	VOC/ Conden.	Dopants (B, P, As)	Chlorine (Cl ₂)	
800660058755	Pro Acidic	Plastic	145 x 450	<20	<250	<150	<20	<150	<20	N/A	Medium air pollution of ammonia (NH ₃) organic alkylamines (primary, secondary, tertiary), cyclic and aromatic amines (aniline, phenylenediamine, pyrrolidine, etc.) and similar
800660058756			145 x 600	<20	<250	<150	<20	<150	<20	N/A	
800660058757		Galv. Steel	145 x 450	<20	<250	<150	<20	<150	<20	N/A	
800660058758			145 x 600	<20	<250	<150	<20	<150	<20	N/A	
800660058759		Stain. Steel	145 x 450	<20	<250	<150	<20	<150	<20	N/A	
800660058760			145 x 600	<20	<250	<150	<20	<150	<20	N/A	
800660058638	Carboxy Blend	Plastic	145 x 450	<50	<5	<150	<150	<150	<100	<60	Light to medium air pollution of VOC, solvents, formaldehyde, organic and inorganic acids (HF, HCl, HBr, HNO ₃ , H ₂ SO ₄ , HCN, etc.), SO ₂ , NO ₂ , mid-level H ₂ S, fragrances, kitchen exhaust, lab fumes, building recirculation air and similar
800660058639			145 x 600	<50	<5	<150	<150	<150	<100	<60	
800660058640		Galv. Steel	145 x 450	<50	<5	<150	<150	<150	<100	<60	
800660058641			145 x 600	<50	<5	<150	<150	<150	<100	<60	
800660058642		Stain. Steel	145 x 450	<50	<5	<150	<150	<150	<100	<60	
800660058643			145 x 600	<50	<5	<150	<150	<150	<100	<60	
800660058644	Oxy 10%	Plastic	145 x 450	<150	<5	<10	<300	<10	<200	<20	Medium air pollution of formaldehyde, alcohols, ketones, organic acids, SO ₂ , mid-level H ₂ S, mercaptans and other sulfuric compounds and similar
800660058645			145 x 600	<150	<5	<10	<300	<10	<200	<20	
800660058646		Galv. Steel	145 x 450	<150	<5	<10	<300	<10	<200	<20	
800660058647			145 x 600	<150	<5	<10	<300	<10	<200	<20	
800660058648		Stain. Steel	145 x 450	<150	<5	<10	<300	<10	<200	<20	
800660058649			145 x 600	<150	<5	<10	<300	<10	<200	<20	
800660058650	Oxy 8%	Plastic	145 x 450	<100	<5	<10	<250	<10	<160	<20	Light to medium air pollution of formaldehyde, alcohols, ketones, organic acids, SO ₂ , mid-level H ₂ S, mercaptans and other sulfuric compounds and similar
800660058651			145 x 600	<100	<5	<10	<250	<10	<160	<20	
800660058652		Galv. Steel	145 x 450	<100	<5	<10	<250	<10	<160	<20	
800660058653			145 x 600	<100	<5	<10	<250	<10	<160	<20	
800660058654		Stain. Steel	145 x 450	<100	<5	<10	<250	<10	<160	<20	
800660058655			145 x 600	<100	<5	<10	<250	<10	<160	<20	
800660058656	Sulf Chlorine Scrub	Plastic	145 x 450	<100	<5	<10	<250	<10	<160	<200	Light to medium air pollution of organic and inorganic acids (HF, HCl, HBr, HNO ₃ , H ₂ SO ₄ , HCN, etc.), chlorine, SO ₂ , NO ₂ , low-level H ₂ S, including lab fumes, building recirculation air and similar
800660058657			145 x 600	<100	<5	<10	<250	<10	<160	<200	
800660058658		Galv. Steel	145 x 450	<100	<5	<10	<250	<10	<160	<200	
800660058659			145 x 600	<100	<5	<10	<250	<10	<160	<200	
800660058660		Stain. Steel	145 x 450	<100	<5	<10	<250	<10	<160	<200	
800660058661			145 x 600	<100	<5	<10	<250	<10	<160	<200	

Carboactiv Tube

Activated carbon cylinder

MOUNTING FRAMES

Article No.	Frame Material	Dimensions (mm)	Number of Cartridges
800690305305	Galvanized steel	305 x 305 x 70	4
800690305610		305 x 610 x 70	8
800690508610		508 x 610 x 70	12
800690610610		610 x 610 x 70	16
800691305305	Stainless steel 304	305 x 305 x 70	4
800691305610		305 x 610 x 70	8
800691508610		508 x 610 x 70	12
800691610610		610 x 610 x 70	16