

# Airpad Select NoGlass

**Product Range**



**Features**



**Applications**



**Filter Class**



**KEY FACTS**

- Polyester filter medium
- Progressive structure
- Easy installation and handling
- Maintenance-friendly

**DESIGN**

Synthetic, 100 % polyester filter medium in a robust frame.

**APPLICATIONS**

Prefiltration for air conditioning and ventilation equipment and/or systems, highly effective for coarse dust.

# Airpad Select NoGlass

## PERFORMANCE DATA

Article No.	Filter Class		Dimensions	Flow Rate	Pressure Drop
	EN 779	ISO 16890	mm	m <sup>3</sup> /h	Pa
800211023456	G2	Coarse 60%	245 x 245 x <b>12</b>	432	70
800211023470	G2	Coarse 60%	372 x 372 x 12	996	70
800211023429	G3	Coarse 75%	395 x 624 x <b>22</b>	1775	75
800211023421	G3	Coarse 75%	596 x 596 x 22	2558	75
800211023394	G4	Coarse 80%	245 x 245 x <b>47</b>	432	80
800211023400	G4	Coarse 80%	496 x 624 x 47	2228	80
800211023396	G4	Coarse 80%	596 x 596 x 47	2558	80
800211023390	G4	Coarse 80%	496 x 624 x <b>98</b>	2228	85

## SPECIFICATION

<b>Recommended air velocity</b>	Flow rate ± 25 %	<b>Recommended final pressure drop</b>	Max. 200 Pa
<b>Heat resistance</b>	Max. 70 °C	<b>Moisture resistance</b>	100 % rel. humidity
<b>Regenerable</b>	No	<b>Incinerable</b>	Yes (excluding metal frame versions)

## OPTIONS

<b>Frame</b>	Moisture-resistant cardboard (standard), or galvanized steel with grids (optional)
--------------	--